

64686 650 W 230 V

Halogen lamps, medium/high voltage, single-ended




Areas of application

- Professional film and TV work

Product features

- Operation at mains voltage: 120 V | 230 V | 240 V
- Color temperature: 2,900 K | 3,000 K (with longer lifespan)
- Color temperature: 3,200 K (for professional film and TV work)
- Color temperature: 3,400 K (for maximum luminous efficacy)



Product datasheet

Technical data


Electrical data

Nominal wattage	650.00 W
Nominal voltage	230 V

Photometrical data

Nominal luminous flux	16500 lm
Color temperature	3200 K

Dimensions & weight



Diameter	21.0 mm
Length	64.0 mm
Illuminated field	10.0*10.0 mm ² ¹⁾
Filament diameter	10.0 mm

¹⁾ With monoplane filament

Lifespan

Lifespan	50 h
----------	------

Additional product data

Base (standard designation)	GY9.5
-----------------------------	-------

Capabilities

Burning position	Any
------------------	-----

Certificates & standards

EEI – Energy Label	B
--------------------	---

Product datasheet

Country specific categorizations

ANSI code	DYR
Order reference	64686 DYR 650W

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899158269	64686 650 W 230 V	Folding carton box 1	42 mm x 42 mm x 111 mm	0.20 dm ³	29.10 g
4052899158276	64686 650 W 230 V	Shipping carton box 12	180 mm x 140 mm x 127 mm	3.20 dm ³	436.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:
"A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.