

## Clearly portable solutions:

# FP WIRELESS SYSTEMS

**Capturing audio in the most demanding environments has never been easier. Shure FP Wireless Systems offer a full selection of affordable, lightweight portable wireless components that feature 24 MHz bandwidth, automatic frequency selection and automatic transmitter setup. All powered by 2 AA batteries and compatible with up to 20 systems simultaneously.**



# FP1

## Bodypack Transmitter

Lightweight and durable design for easy use with a variety of TA4F-connection microphones.



- LED indicator for control lockout, IR/RF sync, low battery indicator
- Audio Input Gain for adjustment of audio level
- 4-Pin Microphone Input Jack for use with lavalier or headset microphones equipped with TA4F connectors

# FP2/SM58

## Handheld Transmitter with SM58® Cardioid Microphone Capsule

The legendary audio of the Shure SM58® microphone capsule mounted to a rugged, lightweight wireless transmitter.



- LED indicator for control lockout, IR/RF sync, low battery indicator
- Lightweight, durable housing
- Additional microphone capsules available as accessories: **Beta 87A, Beta 87C, Beta 58A®, SM86**

# FP2/VP68

## Handheld Transmitter with VP68 Omnidirectional Microphone Capsule

Ideal for one-on-one interviews, delivers superior audio on- and off-axis, while requiring minimal positioning relative to the sound source.



- LED indicator for control lockout, IR/RF sync, low battery indicator
- Lightweight, durable housing
- Additional microphone capsules available as accessories: **Beta 87A, Beta 87C, Beta 58A®, SM86**

# FP3

## Plug-on Transmitter with XLR connection

A simple extension ergonomically designed to fit comfortably in hand, and engineered to work with virtually any XLR dynamic microphone or battery-powered condenser microphone.



- Use with any wired dynamic XLR microphone
- LED indicator for control lockout, IR/RF sync, low battery indicator
- Three-stage audio indicator and input gain control
- Rugged construction and durable metal housing

# FP5

## Portable Wireless Receiver


Designed for on-camera mounting and featuring Automatic Frequency Selection, Automatic Transmitter Setup and Shure-patented Audio Reference Companding for crystal-clear audio.





- Diversity antennas for consistent reception of signal transmission
- Power and RF-sync LED indicators with output level control
- Camera shoe mount and XLR or 1/8" connector cables included
- Rugged and lightweight construction

## System Configurations


**Bodypack System**
FP15




**Bodypack System**
FP15/83




**Handheld System**
FP25/SM58



**Handheld System**
FP25/VP68



**Handheld System**
FP35



**Combo System**
FP125/83SM58



**Combo System**
FP125/83VP68



**Combo System**
FP135

